

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/811,208	03/26/2004	Ramkumar Ps	INT.P014	1961
45512 LAWRENCE (7590 09/25/2007 CHO		EXAM	INER
C/O PORTFOLIOIP			RIDER, JUSTIN W	
P. O. BOX 520 MINNEAPOLI		·	ART UNIT	PAPER NUMBER
	,		2626	
•				
			MAIL DATE	DELIVERY MODE
•			09/25/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
	10/811,208	PS ET AL.				
Office Action Summary	Examiner	Art Unit				
	Justin W. Rider	2626				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tir will apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 26 h	larch 2004.					
2a) ☐ This action is FINAL . 2b) ☐ This	This action is FINAL . 2b)⊠ This action is non-final.					
,	,—					
closed in accordance with the practice under I	Ex parte Quayle, 1935 C.D. 11, 4	53 O.G. 213.				
Disposition of Claims						
4) ⊠ Claim(s) <u>1-32</u> is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) <u>1-32</u> is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/or	wn from consideration.					
Application Papers						
9) The specification is objected to by the Examine 10) The drawing(s) filed on 26 March 2004 is/are: Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Example 11.	a)⊠ accepted or b)☐ objected t drawing(s) be held in abeyance. Se tion is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08)	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F	ate				
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	6) Other:	· · · · · · · · · · · · · · · · · · ·				

DETAILED ACTION

This action is responsive to communications: Application filed 26 March 2004. Claims
 1-32 are pending.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 3. Claims 1-7, 22-32 rejected under 35 U.S.C. 102(b) as being anticipated by **Strauss et al.** (US 2002/0116186 A1) referred to as **Strauss** hereinafter.

Claims 1, 22 and 27: Strauss discloses a speech signal processing method, comprising determining a presence of impulsive distortion (e.g. spikes above a certain average level, also considered noise by the Examiner) in the speech data from root mean square (RMS) (p. 14, paragraph [0142], '...when the root mean squared energy of S_{in} (RMS) falls below -36dBM indicating no tone signals.' Also, Abstract, 'detect whether a threshold amount of energy is present...') and zero crossing rate (ZCR) (Fig. 14D; p. 15, paragraph [0154]) values of the speech data.

<u>Claims 2, 23 and 30</u>: **Strauss** discloses a speech signal processing method as per claims 1, 22 and 27 above, further comprising framing the speech data (Fig. 17 shows where the speech data processing is taking place on a frame of data, it is therefore inherently recited that the input speech data is framed.).

Art Unit: 2626

Claims 3, 24 and 28: Strauss discloses a speech signal processing method as per claims 1, 22 and 29 above, wherein determining the presence of impulsive distortion comprises identifying a low ZCR (p. 15, paragraph [0154], 'Speech tends to have a high number of zero crossings.' [inversely, noisy or distorted impulses will have a low ZCR.]) value and a high RMS (p. 14, paragraph [0142], '...when the root mean squared energy of Sin (RMS) falls below - 36dBM indicating no tone signals.') value (p. 3, paragraph [0050] recites wherein noise and high energy flags are set based on certain threshold values of RMS energy and zero crossing rates.).

Claim 4, 25 and 29: Strauss discloses a speech signal processing method as per claims 1, 22 and 29 above, wherein determining the presence of impulsive distortion comprises identifying a high ZCR (p. 15, paragraph [0154], 'Speech tends to have a high number of zero crossings.') value and a high RMS (p. 14, paragraph [0142], '...when the root mean squared energy of Sin (RMS) falls below -36dBM indicating no tone signals.') value (p. 3, paragraph [0050] recites wherein noise and high energy flags are set based on certain threshold values of RMS energy and zero crossing rates.).

Claims 5 and 6: Strauss discloses a speech signal processing method as per claim 2, wherein the RMS value is computed for a frame of the speech data and indicates a strength of a speech signal in the frame (p. 14, paragraph [0142], '...when the root mean squared energy of Sin (RMS) falls below -36dBM indicating no tone signals.') and the ZCR value is computed for a frame of the speech data and indicates a rate at which a speech signal switches across its mean value in the frame (p. 15, paragraph [0154]).

<u>Claims 7, 26 and 31</u>: **Strauss** discloses a speech signal processing method as per claims 1 and 22 above, further comprising determining the presence of impulsive distortion in the speech

Art Unit: 2626

data from a sample energy value of a speech sample from the speech data (Abstract, 'detect whether a threshold amount of energy is present to determine whether an energy flag should be set, and detect whether instantaneous energy is present to determine whether an instantaneous energy flag should be set. Utilizing a combination of the noise, zero crossing, energy, and instantaneous energy flags the integrated voice activation detector determines whether voice is present.').

Claim 32: Strauss discloses a speech signal processing method as per claim 31 above, wherein the spike detection unit determines a presence of impulsive distortion in the speech sample in response to the sample energy value and the sample energy values of speech samples neighboring the speech sample (It is inherent that since the definition of an impulsive distortion is an unwanted 'spike' in an input signal that there would necessarily be a large energy disparity between the affected samples and the surrounding 'neighbor' samples; this difference would noticeably show signs of impulsive distortion.).

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.
- The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 5. (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an

Art Unit: 2626

international application filed before November 29, 2000. Therefore, the prior art date of the reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

6. Claims 9-10 are rejected under 35 U.S.C. 102(e) as being anticipated by **Beerends et al.**(US 2004/0078197 A1) referred to as **Beerends** hereinafter.

<u>Claim 9</u>: **Beerends** discloses a method for processing speech data, comprising the following steps:

i. performing speech quality measurement on the speech data (Abstract, 'measurements methods and devices for predicting perceptual quality of speech signals...'); and

ii. determining a presence of impulsive distortion in the speech data p. 1, paragraph [0004], 'It is this behaviour of the reciprocal value of such a power related parameter, that can be used to adapt the distortion calculation in such a manner that a much better prediction of the subjective quality of systems under test is possible.').

<u>Claim 10</u>: **Beerends** discloses a method for processing speech data, further comprising: i. performing level alignment and filtering (p. 2, paragraph [0028], 'the pre-processing including power level scaling,');

performing time alignment (p. 2, paragraph [0028], '... and time alignment operations.'); performing auditory processing (p. 2, paragraph [0028], 'The further processing step implies mapping of the (degraded) output signal Y(t) and the reference signal X(t) on representation signals R(Y) and R(X) according to a psycho-physical perception model of the human auditory system.');

Application/Control Number: 10/811,208

Art Unit: 2626

performing disturbance processing (p. 2, paragraph [0028], 'During the combined signal processing step a differential or disturbance signal D is determined by the differentiating means 15 from said representation signals,'); and

performing cognitive modeling (p. 2, paragraph [0028], 'which is then processed by modeling means 16 in accordance with a cognitive model,').

Claim Rejections - 35 USC § 103

- 7. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 8. Claims 11-12 and 16-21 are rejected under 35 U.S.C. 103(a) as being unpatentable over **Beerends** in view of **Strauss**.

Claim 11: Beerends discloses a method for signal quality enhancement as per claim 9 above, however failing to, but Strauss does disclose determining the presence of impulsive distortion in the speech data from a sample energy value of a speech sample from the speech data (Abstract, 'detect whether a threshold amount of energy is present to determine whether an energy flag should be set, and detect whether instantaneous energy is present to determine whether an instantaneous energy flag should be set. Utilizing a combination of the noise, zero crossing, energy, and instantaneous energy flags the integrated voice activation detector determines whether voice is present.').

Application/Control Number: 10/811,208 Page 7

Art Unit: 2626

Therefore, it would have been obvious to one having ordinary skill in the art at the time of invention to include the teachings of **Strauss** in the methods of **Beerends** because it provides an advantageous recitation of determining the presence of instantaneous signal distortion and taking appropriate measures to eliminate such distortions that can severely degrade signal quality.

Claim 12: **Beerends** discloses a method for signal quality enhancement as per claim 11 above, however failing to, but **Strauss** does disclose a speech signal processing method as per claim 31 above, wherein the spike detection unit determines a presence of impulsive distortion in the speech sample in response to the sample energy value and the sample energy values of speech samples neighboring the speech sample (It is inherent that since the definition of an impulsive distortion is an unwanted 'spike' in an input signal that there would necessarily be a large energy disparity between the affected samples and the surrounding 'neighbor' samples; this difference would noticeably show signs of impulsive distortion.) to determine whether there is a difference greater than a predetermined threshold value (p. 10, paragraph [0106]).

Therefore, it would have been obvious to one having ordinary skill in the art at the time of invention to include the teachings of **Strauss** in the methods of **Beerends** because of the same reasons outlined in the rejection of claim 11 above.

<u>Claims 16-21</u>: Claims 16-21 are similar in scope and content to that of claims 1-6, respectively and so therefore are rejected under the same rationale.

Application/Control Number: 10/811,208 Page 8

Art Unit: 2626

9. Claim 13 is rejected under 35 U.S.C. 103(a) as being unpatentable over **Beerends** in view

of Strauss and in further view of deVries (US Patent No. 6,289,309) referred to as deVries

hereinafter.

<u>Claim 13</u>: Beerends, in view of Strauss discloses a speech signal processing method as

per claim 11 above, however failing to, but deVries does, specifically disclose using Teager

energy operations to determine signal sample energy (col. 7, line65 - col. 8, line 5).

Therefore, it would have been obvious to one having ordinary skill in the art at the time

of invention to include the teachings of deVries in the method of Beerends and Strauss because

it provides an effective way of windowing and framing an input sound signal in order to enhance

speech by means of differentiating between speech and noise (Abstract; col. 1, Background).

Teager energy operations were originally derived as a mode to demonstrate the importance of

energy characteristics for analysis and modeling of speech signals on a non-linear basis. The

Teager energy operations are historically used to implement the idea of the importance of energy

utilization in speech signal processing. It has proven particularly useful in stress (e.g. spikes and

impulsive distortions) analysis in speech signals.

10. Claims 14-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over **Beerends**.

Claim 14: Beerends discloses a method as per claim 9 above wherein RMS values of

samples and frames are compared against threshold values in order to determine the presence of

impulsive distortion or spikes in an input signal. However, Beerends fails to disclose wherein

every other frame is compared in order to make a distortion determination. The Examiner is

asserting that such a step would be a suitably obvious choice of design for determining energy

Page 9

Art Unit: 2626

levels for a given frame. The use of overlapping frames is a use that is commonly known to those possessing ordinary skill in the art, and so the measurement of every other frame would be a known obvious step in order to avoid redundant overlapping measurements and to obtain results from totally independent frames.

Therefore, it would have been obvious to one having ordinary skill in the art at the time of invention to take energy values from every other frame (e.g. k-4, k-2, k, k+2 and k+4) so as to take accurate independent energy measurements and to also avoid redundant information, which would adversely affect the outcome.

<u>Claim 15</u>: Claim 15 is similar in scope and content to that of claim 14 above and so therefore is rejected under the same rationale.

Conclusion

11. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Sakamoto (JP 59064941 A1) discloses the elimination of impulsive distortion within an input signal; Koch (US Patent No. 5,127,053), Silverman (US Patent No. 5,976,081), Grabb et al. (US Patent No. 6,067,511), Manjunath et al. (US 2002/0016711 A1) and Jax et al. (US 2003/0050786 A1) disclose the use of RMS and ZCR values in making signal frame characteristic determinations.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Justin W. Rider whose telephone number is (571) 270-1068. The examiner can normally be reached on Monday - Friday 7:30AM - 5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David R. Hudspeth can be reached on (571) 272-7843. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

J.W.R. 14 September 2007

> TÄLIVALDIS IVARS ŠMITS PRIMARY EXAMINER

Page 10